

In the Claims:

Please amend the claims as follows:

1. (currently amended) A modular system for control and monitoring equipment, comprising:
 - a control panel; and
 - at least one control member, wherein the at least one control member ~~comprises a~~ comprises at least one readily movable module ~~which may be detachably located on~~ at the front surface of the control panel, and ~~wherein~~
 - a central unit configured to communicate with the module ~~communicates in a wireless manner with a central unit, wherein the central unit is configured to influence/control external~~
 - via which externally controlled units, wherein the at least one moveable module actively
 - communicates with the central unit ~~are influenced/controlled.~~
2. (currently amended) The system according to claim 1, wherein the at least one movable module is ~~modules are~~ adapted to work with wirelessly transferred electrical energy transmitted by an electrical energy transmitter located in or adjacent the control panel.
3. (currently amended) The system according to claim 1, further comprising:
 - a light source arranged in the control panel and comprising a light used for background lighting of the at least one movable module located on the control panel.

4. (new) The system according to claim 1, wherein the at least one movable module comprises an internal electric power source.

5. (new) The system according to claim 1, wherein the control panel comprises at least one opening configured to receive the at least one movable module, wherein the at least one movable module fits in the at least one opening in the control panel.

6. (new) The system according to claim 5, wherein the at least one movable module comprises a flange to retain the at least one movable module in the at least one opening.

7. (new) The system according to claim 1, wherein the at least one movable module magnetically attached to control panel.

8. (new) The system according to claim 1, further comprising:
at least one light source configured to light the at least one movable module, wherein the at least one light source is internal to the at least one movable module.

9. (new) The system according to claim 1, wherein the movable module comprises at least one indicator, pointer, pushbutton, switch, or display.

10. (new) The system according to claim 1, wherein the system comprises a plurality of movable modules, wherein the control panel comprises a plurality of openings configured to receive the movable module, wherein one movable module fits in each opening in the control

panel.

11. (new) The system according to claim 1, wherein the at least one movable module communicates with the central unit with bluetooth.

12. (new) The system according to claim 1, wherein the at least one movable module comprises at least one control element.